



Configura® Lite

Assessment Form

Areas highlighted in green are standard specification



Size

Chair Dimensions (all in inches)						
Width		Height		Depth		Chair Type
18" <input type="checkbox"/>	16" <input type="checkbox"/>	17"* <input type="checkbox"/>	18"** <input type="checkbox"/>	18" <input type="checkbox"/>	16"*** <input type="checkbox"/>	Lite Small
20" <input type="checkbox"/>	18" <input type="checkbox"/>	19"* <input type="checkbox"/>	20"** <input type="checkbox"/>	20" <input type="checkbox"/>	18"*** <input type="checkbox"/>	Lite Medium
<p>* Need to order 1" Height adjustment Kit</p> <p>** Need to order 2" Height adjustment Kit</p> <p>*** Need to order 2" Depth adjustment Kit</p>						



Pressure

Low Risk Cushion	VP Overlay
Standard <input type="checkbox"/>	<input type="checkbox"/>

Notes

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....



Posture

All options available from stock

Waterfall Backrest		2 x Lateral Support	
Small <input type="checkbox"/>	Standard <input type="checkbox"/>	<input type="checkbox"/>	
Medium <input type="checkbox"/>	Standard <input type="checkbox"/>		

Chair Assessment and Delivery Environmental Questionnaire



When carrying out an assessment please fill out the below form prior to ordering the chair.

Please give as much detail as possible.

Access

- Is there parking for a large van?.....
- Are there steps to the property?.....
- Is it easy access to the property?.....

Internal

Are the doors and corridors wide enough for a chair to go through? Min. width for most chairs is 650mm.
.....

Does the chair have to go upstairs? If yes, please specify number of steps and if a stair lift is fitted.
.....

Is space being cleared for the chair?.....

Is there a suitable power supply for the chair? Yes No

Infection Control

- Are there pets?.....
- Is the house smoke free?.....

Other

Does the driver need to be aware of any other points?.....
.....
.....